

Fig. 6




Fig. 1  
Prior Art




Fig. 2  
Prior Art




Fig. 5




Fig. 3



68 DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL		INSTRUCTION REFILL: EXPIRES: CHG:		70 DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL		INSTRUCTION REFILL: EXPIRES: CHG:	
 DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL		INSTRUCTION REFILL: EXPIRES:		 DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL		INSTRUCTION REFILL: EXPIRES:	
		AUDIT LOG ADDITIONAL LABEL				32A DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL	
		BOTTLE ADDITIONAL LABEL				32A DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL	
GENERIC NAME: 32 COMMON USES: HOW TO USE THIS MEDICINE: CAUTIONS: 72 POSSIBLE SIDE EFFECTS: BEFORE USING THIS MEDICINE: OVERDOSE: ADDITIONAL INFORMATION:						RECEIPT 74 66 DUPLICATE RECEIPT	

Fig. 4





Fig. 7

6/6



*Fig. 8*